British Journal of Pharmacology

CONTENTS

VOLUME 93 NUMBER 1 JANUARY 1988

PAPERS

3 KOFO-ABAYOMI, A. & LUCAS, P.D. A comparison between atria from control and streptozotocin-diabetic rats: The effects of dietary myo-inositol

9 GARDINER, S.M. & BENNETT, T. Involvement of β_2-adrenoceptor-mediated mechanisms in the cardiovascular responses to α_1- and α_2-adrenoceptor antagonism in conscious, unrestrained, Long Evans and Brattleboro rats

23 NEDERGAARD, O.A. & ABRAHAMSEN, J. Effect of chlorpromazine on sympathetic neuroeffector transmission in the rabbit isolated pulmonary artery and aorta

35 FORSYTH, K.M. & POLLOCK, D. Clonidine and morphine increase [^{3}H]-noradrenaline overflow in mouse vas deferens

43 MARÍN, J., SÁNCHEZ-FERRER, C.F. & SALAICES, M. Effects of ouabain on isolated cerebral and femoral arteries of the cat: a functional and biochemical study

53 SÁNCHEZ-FERRER, C.F., MARÍN, J., LLUCH, M., VALVERDE, A. & SALAICES, M. Actions of vanadate on vascular tension and sodium pump activity in cat isolated cerebral and femoral arteries

61 GARRINO, M.G. & HENQUIN, J.C. Highly potent and stereoselective effects of the benzoic acid derivative AZ-DF 265 on pancreatic β-cells

69 CALCUTT, C.R., GANELLIN, C.R., GRIFFITHS, R., LEIGH, B.K., MAGUIRE, J.P., MITCHELL, R.C., MYLEK, M.E., PARSONS, M.E., SMITH, I.R. & YOUNG, R.C. Zolantidine (SK&F 95282) is a potent selective brain-penetrating histamine H_2-receptor antagonist

79 HEWSON, G., LEIGHTON, G.E., HILL, R.G. & HUGHES, J. The cholecystokinin receptor antagonist L364,718 increases food intake in the rat by attenuation of the action of endogenous cholecystokinin

85 FOLLENFANT, R.L., HARDY, G.W., LOWE, L.A., SCHNEIDER. C. & SMITH, T.W. Antinociceptive effects of the novel opioid peptide BW443C compared with classical opiates; peripheral versus central actions

93 ADCOCK, J.J., SCHNEIDER, C. & SMITH, T.W. Effects of codeine, morphine and a novel opioid pentapeptide BW443C, on cough, nociception and ventilation in the unanaesthetized guinea-pig

101 NAKAZATO, Y., OHGA, A., OLESHANSKY, M., TOMITA, U. & YAMADA, Y. Voltage-independent catecholamine release mediated by the activation of muscarinic receptors in guinea-pig adrenal glands

110 WALLIS, D.I. & DUN, N.J. A comparison of fast and slow depolarizations evoked by 5-HT in guinea-pig coeliac ganglion cells *in vitro*

121 COOK, N.S. & HOF, R.P. Cardiovascular effects of apamin and BRL 34915 in rats and rabbits

132 CRISCUOLI, M. & SUBISSI, A. Catecholamines released from the adrenal medulla exert a compensatory, protective effect at β_2-adrenoceptors against Paf-induced death in mice

139 AIZAWA, H., MIYAZAKI, N., SHIGEMATSU, N. & TOMOOKA, M. A possible role of airway epithelium in modulating hyperresponsiveness

146 SATO, Y., ISHII, K. & TAIRA, N. Differential antagonism by Bay K 8644 of vasodilator effects of nifedipine, diltiazem, nicorandil and nitroglycerin in dog femoral circulation

151 ANGCHANPEN, P., MARIN-GREZ, M. & SCHNERMANN, J. Effect of dopamine antagonists on the urine flow of rats infused with hypotonic saline

156 TRANQUILLE, N. & EMEIS, J.J. Release of tissue-type plasminogen activator is induced in rats by leukotrienes C_4 and D_4, but not by prostaglandins E_1, E_2 and I_2

165 CAMBRIDGE, D., WHITING, M.V. & ALLAN, G. Cardiac and renovascular effects in the anaesthetized dog of BW A575C: a novel angiotensin converting enzyme inhibitor with β-adrenoceptor blocking properties

176 BARRÈS, C., CERUTTI, C., MORIN, B. & SASSARD, J. Cardiovascular effects of two new calcium antagonists, PY 108-068 and PN 200-110, in conscious spontaneously hypertensive rats

185 ACRITOPOULOU-FOURCROY, S. & MARÇAIS-COLLADO, H. Involvement of α-adrenoceptors in myometrial responses in the pro-oestral rat

192 LIN, C.-I., SU, M.-T., LUK, H.-N. & WU, H.-L. Suppressive effects of somatostatin in dog Purkinje fibres

199 FUJIWARA, T., SUMIMOTO, K., ITOH, T., SUZUKI, H. & KURIYAMA, H. Relaxing actions of procaterol, a β_2-adrenoceptor stimulant, on smooth muscle cells of the dog trachea

210 LISTER, R.G. & NUTT, D.J. Interactions of the imidazodiazepine Ro 15-4513 with chemical convulsants

215 ANDERSON, A.J. & HARVEY, A.L. Effects of the potassium channel blocking dendrotoxins on acetylcholine release and motor nerve terminal activity leukocytes

222 ESPLUGUES, J.V. & WHITTLE, B.J.R. Gastric mucosal damage induced by local intra-arterial administration of Paf in the rat

229 MARTIN, W., WHITE, D.G. & HENDERSON, A.H. Endothelium-derived relaxing factor and atriopeptin II elevate cyclic GMP levels in pig aortic endothelial cells

VOLUME 93 NUMBER 2 FEBRUARY 1988

SHORT COMMUNICATION

243 DUNN, P.M. & BLAKELEY, A.G.H. Suramin: a reversible P_2-purinoceptor antagonist in the mouse vas deferens

PAPERS

247 DE SARRO, G.B., MELDRUM, B.S. & NISTICÓ, G. Anticonvulsant effects of some calcium entry blockers in DBA/2 mice

257 FARQUHAR, R. & PART, N.J. The effect of dantrolene sodium on the discharge of alpha and gamma motoneurones to the soleus muscle in the decerebrate rat

267 AHN, H.Y., KARAKI, H. & URAKAWA, N. Inhibitory effects of caffeine on contractions and calcium movement in vascular and intestinal smooth muscle

275 BOURKE, J.E., BUNN, S.J., MARLEY, P.D. & LIVETT, B.G. The effects of neosurugatoxin on evoked catecholamine secretion from bovine adrenal chromaffin cells

281 DZIMIRI, N. & FRICKE, U. Lipophilicity and pharmacodynamics of cardiotonic steroids in guinea-pig isolated heart muscle preparations

289 LUKEY, P.T., ANDERSON, R. & DIPPENAAR, U.H. Benoxaprofen activates membrane-associated oxidative metabolism in human polymorphonuclear leucocytes by apparent modulation of protein kinase C

295 ADVENIER, C., DEVILLIER, P., MATRAN, R. & NALINE, E. Influence of epithelium on the responsiveness of guinea-pig isolated trachea to adenosine

303 SLEIGHT, A.J., MARSDEN, C.A., MARTIN, K.F. & PALFREYMAN, M.G. Relationship between extracellular 5-hydroxytryptamine and behaviour following monoamine oxidase inhibition and L-tryptophan

311 HONDEGHEM, L.M. & MATSUBARA, T. Quinidine blocks cardiac sodium channels during opening and slow inactivation in guinea-pig papillary muscle

319 BOYLE, J.P., DAVIES, J.M., FOSTER, R.W., GOOD, D.M., KENNEDY, I. & SMALL, R.C. Spasmogen action in guinea-pig isolated trachealis: involvement of membrane K^+-channels and the consequences of K^+-channel blockade

331 CROSS, J.A. & HORTON, R.W. Effects of chronic oral administration of the antidepressants, desmethylimipramine and zimelidine on rat cortical $GABA_B$ binding sites: a comparison with 5-HT_2 binding site changes

337 BELL, C. Phentolamine lacks α_2-adrenoceptor agonist activity in anaesthetized dogs

341 COLLARD, K.J., WILKINSON, L.S. & LEWIS, D.J. Studies on the mechanism by which tryptophan efflux from isolated synaptosomes is stimulated by depolarization

349 CHOWDREY, H.S. & BISSET, G.W. Central inhibition by γ-aminobutyric acid of the release of vasopressin by carbachol in the rat

357 JECK, D., LINDMAR, R., LÖFFELHOLZ, K. & WANKE, M. Subtypes of muscarinic receptor on cholinergic nerves and atrial cells of chicken and guinea-pig hearts

367 OKAMURA, T., NAKAJIMA, M. & TODA, N. Neuroeffector actions of thromboxane B_2 in dog isolated mesenteric arteries

375 ALLELY, M.C. & ALPS, B.J. The effects of the novel anti-anginal compound RS 43285 on myocardial conduction in the anaesthetized dog

383 CRITCHLEY, J.A.J.H., MACLEAN, M.R. & UNGAR, A. Inhibitory regulation by co-released peptides of catecholamine secretion by the canine adrenal medulla

387 ALLAN, G., CAMBRIDGE, D., FOLLENFANT, M.J., STONE, D. & WHITING, M.V. A comparative study of the cardiovascular and biochemical actions of the imidazo [4,5b] pyridine sulmazole and an imidazo [4,5c] pyridine analogue, BW A746C

399 BRIGGS, C.A., MCAFEE, D.A., MCCAMAN, R.E. Long-term regulation of synaptic acetylcholine release and nicotinic transmission: the role of cyclic AMP

412 MAN, R.Y.K. Lysophosphatidylcholine-induced arrhythmias and its accumulation in the rat perfused heart

417 BROWN, C.M., MCGRATH, J.C., MIDGLEY, J.M., MUIR, A.G.B., O'BRIEN, J.W., THONOOR, C.M., WILLIAMS, C.M. & WILSON, V.G. Activities of octopamine and synephrine stereoisomers on α-adrenoceptors

430 NISHIMURA, M. Zn^{2+} stimulates spontaneous transmitter release at mouse neuromuscular junctions

437 FREEDMAN, S.B., HARLEY, E.A. & IVERSEN, L.L. Relative affinities of drugs acting at cholinoceptors in displacing agonist and antagonist radioligands: the NMS/Oxo-M ratios as an index of efficacy at cortical muscarinic receptors

446 PENNER, S.B. & SMYTH, D.D. Chronic prazosin attenuates the natriuretic response to a modest saline load in anaesthetized rats

453 BOSE, D., ELLIOTT, D., KOBAYASHI, T., TEMPLETON, J.F., KUMAR, V.P.S. & LABELLA, F.S. 14β-Hydroxyprogesterone binds to the digitalis receptor, inhibits the sodium pump and enhances cardiac contractility

VOLUME 93 NUMBER 3 MARCH 1988

PAPERS

465 BERRY, C.N., PROUTEAU, M. & LLOYD, K.G. Sulphasalazine and PhCL28A inhibit the formation of ethanol- and phenylbutazone-induced rat gastric ulcers: lack of involvement of endogenous prostaglandins?

473 BARR, H.A., NICHOLAS, T.E. & POWER, J.H.T. Control of alveolar surfactant in rats at rest and during prolonged hyperpnoea: pharmacological evidence for two tissue pools of surfactant

483 OTERO LOSADA, M.E. Changes in central GABAergic function following acute and repeated stress

491 KUNYSZ, E.L., MICHEL, A.D. & WHITING, R.L. Functional and direct binding studies using subtype selective muscarinic receptor antagonists

501 NGANELE, D.M., DeLEONARDIS, V.M. & HINTZE, T.H. Celiprolol: a positive inotropic β-adrenoceptor blocking agent in conscious dogs

509 GEPPETTI, P., FUSCO, B.M., MARABINI, S., MAGGI, C.A., FANCIULLACCI, M. & SICUTERI F. Secretion, pain and sneezing induced by the application of capsaicin to the nasal mucosa in man

515 FELETOU M. & VANHOUTTE, P.M. Endothelium-dependent hyperpolarization of canine coronary smooth muscle

525 ALLGAIER, C., DASCHMANN, B., HUANG, H.Y. & HERTTING G. Protein kinase C and presynaptic modulation of acetylcholine release in rabbit hippocampus

535 PELLEGRINI-GIAMPIETRO, D.E., BACCIOTTINI, L., CARLÀ, V. & MORONI, F. Morphine withdrawal in cortical slices: suppression by Ca^{2+}-channel inhibitors of abstinence-induced [^{3}H]-noradrenaline release

541 BUCKINGHAM, R.E. Studies on the anti-vasoconstrictor activity of BRL 34915 in spontaneously hypertensive rats; a comparison with nifedipine

553 LEIGHTON, G.E., RODRIGUEZ, R.E., HILL, R.G. & HUGHES, J. κ-Opioid agonists produce anti-nociception after i.v. and i.c.v. but not intrathecal administration in the rat

561 JOHNS, E.J. A study of the action of amlodipine on adrenergically regulated sodium handling by the kidney in normotensive and hypertensive rats

569 FÖRSTERMANN, U., ALHEID, U., FRÖLICH, J.C. & MÜLSCH, A. Mechanisms of action of lipoxygenase and cytochrome P-450-mono-oxygenase inhibitors in blocking endothelium-dependent vasodilatation

579 MARTIN, W., SMITH, J.A., LEWIS, M.J. & HENDERSON, A.H. Evidence that inhibitory factor extracted from bovine retractor penis is nitrite, whose acid-activated derivative is stabilized nitric oxide

587 CAMPBELL, C.A., CLAVENNA, C.F., WYNNE, J. & KLONER, R.A. Pentoxifylline does not reduce infarct size in a canine model of acute myocardial infarction

591 NISHIYE, E., ITOH, T. & KURIYAMA, H. Some effects of leukotriene D_4 on the mechanical properties of the guinea-pig basilar artery

601 BOVA, S., CARGNELLI, G. & LUCIANI, S. Na/Ca exchange and tension development in vascular smooth muscle: effect of amiloride

609 JACKSON, D.M. The effect of nedocromil sodium, sodium cromoglycate and codeine phosphate on citric acid-induced cough in dogs

613 LAI, F.M., TANIKELLA, T., COBUZZI, A. & CERVONI, P. Studies on the effects of viprostol in isolated small blood vessels and thoracic aorta of the rat

618 CLARK, C.R., BIRCHMORE, B., SHARIF, N.A., HUNTER, J.C., HILL, R.G. & HUGHES, J. PD117302: a selective agonist for the κ-opioid receptor

627 BOTTOMLEY, K.M.K., GRIFFITHS, R.J., RISING, T.J. & STEWARD, A. A modified mouse air pouch model for evaluating the effects of compounds on granuloma induced cartilage degradation

636 ITO, Y. & YOSHITOMI, T. Autoregulation of acetylcholine release from vagus nerve terminals through activation of muscarinic receptors in the dog trachea

647 CHANG, H.W., INOUE, K., BRUNI, A., BOARATO, E. & TOFFANO, G. Stereoselective effects of lysophosphatidylserine in rodents

654 GRIFFITH, T.M., EDWARDS, D.H., DAVIES, R.LI., HARRISON, T.J. & EVANS, K.T. Endothelium-derived relaxing factor (EDRF) and resistance vessels in an intact vascular bed: a microangiographic study of the rabbit isolated ear

663 BOM, A.H., DUNCKER, D.J., SAXENA, P.R. & VERDOUW, P.D. 5-Hydroxytryptamine-induced tachycardia in the pig: possible involvement of a new type of 5-hydroxytryptamine receptor

672 STRETTON, C.D. & BARNES, P.J. Modulation of cholinergic neurotransmission in guinea-pig trachea by neuropeptide Y

679 INOMATA, N., ISHIHARA, T. & AKAIKE, N. Effects of diuretics on GABA-gated chloride current in frog isolated sensory neurones

684 ITO, S., KIMURA, A. & OHGA, A. Development of non-cholinergic, non-adrenergic excitatory and inhibitory responses to intramural nerve stimulation in rat stomach

693 BURTON, N.R., SMITH, D.A.S. & STONE, T.W. A quantitative pharmacological analysis of some excitatory amino acid receptors in the mouse neocortex *in vitro*

702 SEKI, N., NISHIYE, E., ITOH, T., SUZUKI, H. & KURIYAMA, H. Electrical and mechanical properties of the capsular smooth muscles of the rabbit prostate in relation to the actions of the α_1-adrenoceptor blocker, YM-12617

715 SCHWÖRER H. & KILBINGER H. Enhancement of guinea-pig intestinal peristalsis by blockade of muscarinic M_1-receptors

VOLUME 93 NUMBER 4 APRIL 1988

PAPERS

723 KO, W.W.W., DAI, S. & CHAN, M.-Y. Ventricular noradrenaline concentrations in naïve and morphine-treated rats subjected to acute myocardial ischaemia

729 BÖHM, M., BRÜCKNER, R., NEUMANN, J., NOSE, M., SCHMITZ, W. & SCHOLZ, H. Adenosine inhibits the positive inotropic effect of 3-isobutyl-l-methylxanthine in papillary muscles without effect on cyclic AMP or cyclic GMP

739 KUMAKURA, S., KAMO, I. & TSURUFUJI, S. Role of bradykinin in the vascular permeability response induced by carrageenin in rats

747 TRIPATHI, R.M. & KAUSHAL, R. Effect of some non-steroidal anti-inflammatory drugs on ouabain-induced arrhythmias in guinea-pigs

751 TURNER, N.C. & DOLLERY, C.T. Release of arachidonic acid metabolites and histamine from sensitized guinea-pig lung following antigen challenge

759 ESTRELLA, D., GREEN, K.L., PRIOR, C., DEMPSTER, J., HALLIWELL, R.F., JACOBS, R.S., PARSONS, S.M., PARSONS, R.L. & MARSHALL, I.G. A further study of the neuromuscular effects of vesamicol (AH5183) and of its enantiomer specificity

769 WARD, S.G. & WESTWICK, J. Antagonism of the platelet activating factor-induced rise of the intracellular calcium ion concentration of U937 cells

775 OSAKA, T., KODAMA, I., TOYAMA, J. & YAMADA, K. Effects of bepridil on ventricular depolarization and repolarization of rabbit isolated hearts with particular reference to its possible proarrhythmic properties

781 MACLEAN, M.R. & HILEY, C.R. Effect of artificial respiratory volume on the cardiovascular responses to an α_1- and an α_2-adrenoceptor agonist in the air-ventilated pithed rat

791 BULT, H., HEIREMANS, J.J., HERMAN, A.G. MALCORPS, C.M.A. & PEETERS, F.A.M. Prostacyclin biosynthesis and reduced 5-HT uptake after complement-induced endothelial injury in the dog isolated lung

803 SENN, N., LELIÈVRE, L.G., BRAQUET, P. & GARAY, R. High sensitivity of the Na^+, K^+-pump of human red blood cells to genins of cardiac glycosides

811 MURAMATSU, I., NISHIO, M., KIGOSHI, S. & UEMURA, D. Single ionic channels induced by palytoxin in guinea-pig ventricular myocytes

817 SNELL, K. & EVANS, C.A. Characterization of rat liver β-adrenoceptors during perinatal development as determined by [^{125}I]-iodopindolol radioligand binding assays

827 OKUMURA, K., HASHIMOTO, Y., YASUHARA, M. & HORI, R. Regional myocardial ajmaline concentration and antiarrhythmic activity for ischaemia- and reperfusion-induced arrhythmias in rats

833 SILINSKY, E.M. The influence of 2-chloroadenosine on potassium-evoked and neurally-evoked acetylcholine secretion from normal or from latent active zones in the frog

839 SILINSKY, E.M. & HIRSH, J.K. The effect of reduced temperature on the inhibitory action of adenosine and magnesium ion at frog motor nerve terminals

846 WILLIAMS, S.H. & CONSTANTI, A. Quantitative effects of some muscarinic agonists on evoked surface-negative field potentials recorded from the guinea-pig olfactory cortex slice

855 WILLIAMS, S.H. & CONSTANTI, A. A quantitative study of the effects of some muscarinic antagonists on the guinea-pig olfactory cortex slice

863 CONNICK, J.H. & STONE, T.W. Excitatory amino acid antagonists and endogenous aspartate and glutamate release from rat hippocampal slices

868 CONNICK, J.H. & STONE, T.W. Quinolinic acid effects on amino acid release from the rat cerebral cortex *in vitro* and *in vivo*

877 ALPS, B.J., CALDER, C., HASS, W.K. & WILSON, A.D. Comparative protective effects of nicardipine, flunarizine, lidoflazine and nimodipine against ischaemic injury in the hippocampus of the Mongolian gerbil

884 SOUHRADA, M., SOUHRADA, M.H. & SOUHRADA, J.F. The inhibition of sodium influx attenuates airway response to a specific antigen challenge

893 GRISTWOOD, R.W., COMER, M.B., EDEN, R.J., TAYLOR, E.M., TURNER, J.A., WALLDUCK, M. & OWEN, D.A.A. *In vivo* pharmacological studies with SK&F 94836, a potent inotrope/vasodilator with a sustained duration of action

902 RIVERA-FILLAT, M.P., PALLARES-TRUJILLO, J., DOMENECH, C. & GRAU-OLIETE, M.R. Comparative uptake, retention and action of vincristine, vinblastine and vindesine on murine leukaemic lymphoblasts sensitive and resistant to vincristine

909 LENNART LUNDBLAD, K.A. & PERSSON, C.G.A. The epithelium and the pharmacology of guinea-pig tracheal tone *in vitro*

918 WILLS, M. & DOUGLAS, J.S. Aging and cholinergic responses in bovine trachealis muscle

925 PIQUÉ, J.M., YONEI, Y., WHITTLE, B.J.R., LEUNG, F.W. & GUTH, P.H. Indomethacin potentiates endotoxin-induced blood flow reduction and histological injury in rat gastric mucosa

932 JOHNSON, M.A., HILL, R.G. & HUGHES, J. A possible role for prostaglandins in the expression of morphine dependence in guinea-pig isolated ileum

937 PESKAR, B.M., HOPPE, U., LANGE, K. & PESKAR, B.A. Effects of non-steroidal anti-inflammatory drugs on rat gastric mucosal leukotriene C_4 and prostanoid release: relation to ethanol-induced injury

944 BOWERY, N.G., WONG, E.H.F. & HUDSON, A.L. Quantitative autoradiography of [^{3}H]-MK-801 binding sites in mammalian brain

955 IZUMI, T. & BAKHLE, Y.S. Modification by steroids of pulmonary oedema and prostaglandin E_2 pharmacokinetics induced by endotoxin in rats

964 MOREAU, J.-L. & PIERI, L. Effects of an intrathecally administered benzodiazepine receptor agonist, antagonist and inverse agonist on morphine-induced inhibition of a spinal nociceptive reflex

969 DEBLOIS, D., BOUTHILLIER, J. & MARCEAU, F. Effect of glucocorticoids, monokines and growth factors on the spontaneously developing responses of the rabbit isolated aorta to des-Arg^9-bradykinin

978 VARMA, D.R. Modification of transplacental distribution of salicylate in rats by acidosis and alkalosis

985 JONES, B.J., COSTALL, B., DOMENENY, A.M., KELLY, M.E., NAYLOR, R.J., OAKLEY, N.R. & TYERS, M.B. The potential anxiolytic activity of GR38032F, a 5-HT_3-receptor antagonist

994 MORELAND, S., USHAY, M.P., KIMBALL, S.D., POWELL, J.R. & MORELAND, R.S. Pressor responses induced by Bay K 8644 involve both release of adrenal catecholamines and calcium channel activation

VOLUME 94 NUMBER 1 MAY 1988

SHORT COMMUNICATIONS

3 BRAAS, K.M., MANNING, D.C., PERRY, D.C. & SNYDER, S.H. Bradykinin analogues: differential agonist and antagonist activities suggesting multiple receptors

6 HUTSON, P.A., HOLGATE, S.T. & CHURCH, M.K. Inhibition by nedocromil sodium of early and late phase bronchoconstriction and airway cellular infiltration provoked by ovalbumin inhalation in conscious sensitized guinea-pigs

PAPERS

9 KOMORI, S., KWON, S.C. & OHASHI, H. Effects of prolonged exposure to α,β-methylene ATP on non-adrenergic, non-cholinergic excitatory transmission in the rectum of the chicken

19 ISHIDA, Y., KOGA, N., NANBU, T., KIHARA, M. & KOBAYASHI, S. 4-Hydroxy-2-methyl-4-phenyl-1,2,3,4-tetrahydroisoquinoline (PI-OH): a new potentiator of sympathomimetic amines on the rat anococcygeus muscle

27 LAGENTE, V., DESQUAND, S., HADVARY, P., CIRINO, M., LELLOUCH-TUBIANA, A., LEFORT, J. & VARGAFTIG, B.B. Interference of the Paf antagonist Ro 19-3704 with Paf and antigen-induced bronchoconstriction in the guinea-pig

37 BLAKELEY, A.G.H., DUNN, P.M. & PETERSEN, S.A. A study of the actions of P_1-purinoceptor agonists and antagonists in the mouse vas deferens *in vitro*

47 PERKINS, M.N., FORSTER, P.L. & DRAY, A. The involvement of afferent nerve terminals in the stimulation of ion transport by bradykinin in rat isolated colon

55 KRUMPL, G., WINKLER, M., SCHNEIDER, W. & RABERGER, G. Comparison of the haemodynamic effects of the selective bradycardic agent UL-FS 49, with those of propranolol during treadmill exercise in dogs

65 BOUGHTON-SMITH, N.K., WALLACE, J.L., MORRIS, G.P. & WHITTLE, B.J.R. The effect of anti-inflammatory drugs on eicosanoid formation in a chronic model of inflammatory bowel disease in the rat

73 ASANO, M., MASUZAWA, K. & MATSUDA, T. Evidence for reduced β-adrenoceptor coupling to adenylate cyclase in femoral arteries from spontaneously hypertensive rats

87 PRIESTLEY, T. & WOODRUFF, G.N. The inhibitory effect of somatostatin peptides on the rat anococcygeus muscle *in vitro*

97 BEN-ZVI, Z. & HURWITZ, A. Clonidine effects on disposition of xenobiotics in rats: inhibited elimination of flow-limited but not extraction-limited agents

103 BULLOCH, J.M. & McGRATH, J.C. Blockade of vasopressor and vas deferens responses by α,β-methylene ATP in the pithed rat

109 SEBASTIÃO, A.M. & RIBEIRO, J.A. On the adenosine receptor and adenosine inactivation at the rat diaphragm neuromuscular junction

121 MAILMAN, D. Effects of atropine and tetrodotoxin on neurotensin-induced ileal sodium transport in the dog

130 TUMAN, R.W., TUTWILER, G.F., JOSEPH, J.M. & WALLACE, N.H. Hypoglycaemic and hypoketonaemic effects of single and repeated oral doses of methyl palmoxirate (methyl 2-tetradecylglycidate) in streptozotocin/alloxan-induced diabetic dogs

137 KENNETT, G.A. & CURZON, G. Evidence that mCPP may have behavioural effects mediated by central 5-HT_{1C} receptors

148 GUARD, S., WATLING, K.J. & WATSON, S.P. Neurokinin$_3$-receptors are linked to inositol phospholipid hydrolysis in the guinea-pig ileum longitudinal muscle-myenteric plexus preparation

155 WONG, P.Y.D. Inhibition by chloride channel blockers of anion secretion in cultured epididymal epithelium and intact epididymis of rats

164 EVANS, T.W., DENT, G., ROGERS, D.F., AURSUD-KIJ, B., CHUNG, K.F. & BARNES, P.J. Effect of a Paf antagonist, WEB 2086, on airway microvascular leakage in the guinea-pig and platelet aggregation in man

169 FERRY, C.B. The origin of the anticholinesterase-induced repetitive activity of the phrenic nerve-diaphragm preparation of the rat *in vitro*

180 HARRIS, N.C. & RYALL, R.W. Mustard oil excites but does not inhibit nociceptive dorsal horn neurones in the rat: a presumed effect on A-delta fibres

185 HARRIS, N.C. & RYALL, R.W. Opiates distinguish spinal excitation from inhibition evoked by noxious heat stimuli in the rat: relevance to theories of analgesia

192 SWANSON, T.H. & PHILLIS, J.W. Effects of the muscarinic antagonists pirenzepine and gallamine on spontaneous and evoked responses of rat cerebral cortical neurones

199 GARDNER, A.L., CHOO, L.K. & MITCHELSON, F. Comparison of the effects of some muscarinic agonists on smooth muscle function and phosphatidylinositol turnover in the guinea-pig taenia caeci

212 GORMAN, P. Vasodilator response to dopamine in the ferret pulmonary circulation

219 DUNCKER, D.J., HEILIGERS, J.P.C., SAXENA, P.R. & VERDOUW, P.D. Nisoldipine and perfusion of poststenotic myocardium in conscious pigs with different degrees of concentric stenosis

228 SCHUURKES, J.A.J., VAN BERGEN, P.J.E. & VAN NUETEN, J.M. Prejunctional muscarinic (M_1)-receptor interactions on guinea-pig ileum: lack of effect of cisapride

235 GREEN, K.A. & COTTRELL, G.A. Actions of baclofen on components of the Ca-current in rat and mouse DRG neurones in culture

246 BODEN, P. & HILL, R.G. Effects of cholecystokinin and related peptides on neuronal activity in the ventromedial nucleus of the rat hypothalamus

253 DILLON, J.S. & NAYLER, W.G. The Ca^{2+}-antagonist and binding properties of the phenylalkylamine, anipamil

264 SHANKLEY, N.P., BLACK, J.W., GANELLIN, C.R. & MITCHELL, R.C. Correlation between log P_{OCT/H_2O} and pK_B estimates for a series of muscarinic and histamine H_2-receptor antagonists

VOLUME 94 NUMBER 2 JUNE 1988

277 **EDITORIAL** – MITCHELL, J.F. The Consequences of Success

SHORT COMMUNICATIONS

279 HEINIGER, J., KISSLING-ALBRECHT, L., NEUENSCHWANDER, S., RÖSLI, R. & PLIŠKA, V. Antihaemophilic effect of vasopressin, deamino-(D-arginine^8)-vasopressin and adrenaline in sheep: proposal for an *in vivo* assay system

282 WEIPERT, J., HOFFMANN, H., SIEBECK, M. & WHALLEY, E.T. Attenuation of arterial blood pressure fall in endotoxin shock in the rat using the competitive bradykinin antagonist Lys-Lys-[Hyp^2, Thi^{5,8}, DPhe^7]-Bk (B4148)

285 STOESSL, A.J., DOURISH, C.T. & IVERSEN, S.D. The NK-3 tachykinin receptor agonist senktide elicits 5-HT-mediated behaviour following central or peripheral administration in mice and rats

288 GEPPETTI, P., MAGGI, C.A., PERRETTI, F., FRILLI, S. & MANZINI, S. Simultaneous release by bradykinin of substance P- and calcitonin gene-related peptide immunoreactivities from capsaicin-sensitive structures in guinea-pig heart

291 HRYSHKO, L.V. & BOSE, D. Impairment of Ca release from mammalian ventricular sarcoplasmic reticulum by the calcium channel agonist Bay K 8644

PAPERS

293 KYLE, H., WIDDICOMBE, J.G. & WILFFERT, B. Comparison of mucus flow rate, radiolabelled glycoprotein output and smooth muscle contraction in the ferret trachea *in vitro*

299 MORATINOS, J., CARPENE, C., DE PABLOS, I. & REVERTE, M. Role of α_1- and α_2-adrenoceptors in catecholamine-induced hyperglycaemia, lipolysis and insulin secretion in conscious fasted rabbits

311 JOHNS, E.J. A study of the renal actions of amlodipine in the normotensive and spontaneously hypertensive rat

319 SHIMONI, Y., POSNER, P., SPINDLER, A.J. & NOBLE, D. The effects of prenylamine on single ventricular myocytes of guinea-pig

325 MURAKAWA, T., ALTURA, B.T., CARELLA, A. & ALTURA, B.M. Importance of magnesium and potassium concentration on basal tone and 5-HT-induced contractions in canine isolated coronary artery

335 JAYAKODY, L., KAPPAGODA, T., SENARATNE, M.P.J. & THOMSON, A.B.R. Impairment of endothelium-dependent relaxation: an early marker for atherosclerosis in the rabbit

347 IMAI, S. & OHTA, H. Positive inotropic effects induced by carbachol in rat atria treated with islet-activating protein (IAP) – association with phosphatidylinositol breakdown

355 MOHY EL-DIN, M.M. & MALIK, K.U. Differential effect of ω-conotoxin on release of the adrenergic transmitter and the vasoconstrictor response to noradrenaline in the rat isolated kidney

363 OLLERENSHAW, J.D., HEAGERTY, A.M. & SWALES, J.D. Noradrenaline stimulation of the phosphoinositide system: evidence for a novel hydrophobic inositol-containing compound in resistance arterioles

371 SIM, M.F., YATES, D.B., PARKINSON, R. & COOLING, M.J. Cardiovascular effects of the novel arteriovenous dilator agent, flosequinan in conscious dogs and cats

381 EBEIGBE, A.B., MÜLLER-SCHWEINITZER, E. & VOGEL, A. Effects of calcium channel blockade in canine saphenous veins after storage at −190°C

389 FUJIWARA, T., ITOH, T. & KURIYAMA, H. Regional differences in the mechanical properties of rabbit airway smooth muscle

397 BUTLER, A., HILL, J.M., IRELAND, S.J., JORDAN, C.C. & TYERS, M.B. Pharmacological properties of GR38032F, a novel antagonist at 5-HT_3 receptors

413 DOLIN, S.J., HALSEY, M.J. & LITTLE, H.J. Effects of the calcium channel activator Bay K 8644 on general anaesthetic potency in mice

423 HAMEL, E., EDVINSSON, L. & MACKENZIE, E.T. Heterogeneous vasomotor responses of anatomically distinct feline cerebral arteries

437 O'DONNELL, S.R. & BARNETT, C.J.K. pA_2 values for antagonists of platelet activating factor on aggregation of rabbit platelets

443 SALT, T.E., WILSON, D.G. & PRASAD, S.K. Antagonism of N-methylaspartate and synaptic responses of neurones in the rat ventrobasal thalamus by ketamine and MK-801

449 MACLEAN, M.R. & HILEY, C.R. Effects of enalapril on changes in cardiac output and organ vascular resistances induced by α_1- and α_2-adrenoceptor agonists in pithed normotensive rats

463 DURANTE, W., SEN, A.K. & SUNAHARA, F.A. Impairment of endothelium-dependent relaxation in aortae from spontaneously diabetic rats

469 PATER, C. & SAUVIAT, M.-P. Effects of cadmium on the slow inward current of frog heart muscle in relation to a lowering of pH in external solution

475 BYRNE, N.G. & LARGE, W.A. Mechanism of action of α-adrenoceptor activation in single cells freshly dissociated from the rabbit portal vein

483 DAVIES, M., WILKINSON, L.S. & ROBERTS, M.H.T. Evidence for excitatory 5-HT_2-receptors on rat brainstem neurones

492 DAVIES, M., WILKINSON, L.S. & ROBERTS, M.H.T. Evidence for depressant 5-HT_1-like receptors on rat brainstem neurones

500 TERRAR, D.A. & VICTORY, J.G.G. Effects of halothane on membrane currents associated with contraction in single myocytes isolated from guinea-pig ventricle

509 TERRAR, D.A. & VICTORY, J.G.G. Influence of halothane on electrical coupling in cell pairs isolated from guinea-pig ventricle

515 MITCHELL, H.W. Inhibitory effect of sodium cromoglycate on pulmonary responses to histamine administered after indomethacin in anaesthetized guinea-pigs

522 MITCHELL, H.W. & ADCOCK, J. Vagal mechanisms and the effect of indomethacin on bronchoconstrictor stimuli in the guinea-pig

528 TATESON, J.E., RANDALL, R.W., REYNOLDS, C.H., JACKSON, W.P., BHATTACHERJEE, P., SALMON, J.A. & GARLAND, L.G. Selective inhibition of arachidonate 5-lipoxygenase by novel acetohydroxamic acids: biochemical assessment *in vitro* and *ex vivo*

540 PAYNE, A.N., GARLAND, L.G., LEES, I.W. & SALMON, J.A. Selective inhibition of arachidonate 5-lipoxygenase by novel acetohydroxamic acids: effects on bronchial anaphylaxis in anaesthetized guinea-pigs

547 HIGGS, G.A., FOLLENFANT, R.L. & GARLAND, L.G. Selective inhibition of arachidonate 5-lipoxygenase by novel acetohydroxamic acids: effects on acute inflammatory responses

552 DRESEL, P.E. & OGBAGHEBRIEL, A. Blockade of the inotropic effect of Bay K 8644 by cytochalasin-B and phloretin

557 RUSKO, J. & BAUER, V. Calcium and the activation of the α_1-adrenoceptors in the guinea-pig taenia caeci

566 SCHIAVONE, A., SAGRADA, A., MICHELETTI, R. & GIACHETTI, A. Pharmacological characterization of muscarinic receptors involved in McN-A-343-induced effects on intestinal motility and heart rate in conscious dogs

573 RUSKOAHO, H. Effect of atenolol and pindolol on the phorbol ester-induced coronary vasoconstriction in the isolated perfused heart of the rat

584 JAKOB, H., NAWRATH, H. & RUPP, J. Adrenoceptor-mediated changes of action potential and force of contraction in human isolated ventricular heart muscle

591 EGLEN, R.M. & WHITING, R.L. The action of prostanoid receptor agonists and antagonists on smooth muscle and platelets

602 FOSTER, A.C. & TRIDGETT, R. Comparison of the binding of radiolabelled neurokinin A and eledoisin in rat cortex synaptic membranes

609 WARD-ROUTLEDGE, C., MARSHALL, P. & MARSDEN, C.A. Involvement of central α- and β-adrenoceptors in the pressor response to electrical stimulation of the rostral ventrolateral medulla in rats

620 SADOSHIMA, J., TOKUTOMI, N. & AKAIKE, N. Effects of neostigmine and physostigmine on the acetylcholine receptor-ionophore complex in frog isolated sympathetic neurones

625 CARROLL, J.A., SHAW, J.S. & WICKENDEN, A.D. The physiological relevance of low agonist affinity binding at opioid μ-receptors

VOLUME 94 NUMBER 3 JULY 1988

PAPERS

635 BENOIT, E., CARRATÙ, M.R. & MITOLO-CHIEPPA, D. Interactions between molecules of a steroid anaesthetic (alphaxalone) and ionic channels of nodal membrane in voltage-clamped myelinated nerve fibre

647 DONNERER, J. & LEMBECK, F. Neonatal capsaicin treatment of rats reduces ACTH secretion in response to peripheral neuronal stimuli but not to centrally acting stressors

653 SCOTT, R.H., McGUIRK, S.M. & DOLPHIN, A.C. Modulation of divalent cation-activated chloride ion currents

663 DAFFONCHIO, L., PAYNE, A.N., LEES, I.W. & WHITTLE, B.J.R. Immediate anaphylactic bronchoconstriction induces airway hyperreactivity in anaesthetized guinea-pigs

669 WESSLER, I. & ANSCHÜTZ, S. β-Adrenoceptor stimulation enhances transmitter output from the rat phrenic nerve

675 DEVILLIER, P., ADVENIER, C., DRAPEAU, G., MARSAC, J. & REGOLI, D. Comparison of the effects of epithelium removal and of an enkephalinase inhibitor on the neurokinin-induced contractions of guinea-pig isolated trachea

685 MICHEL, M.C., PINGSMANN, A., BECKERINGH, J.J., ZERKOWSKI, H.-R., DOETSCH, N. & BRODDE, O.-E. Selective regulation of β_1- and β_2-adrenoceptors in the human heart by chronic β-adrenoceptor antagonist treatment

693 DUNN, G., KOSHIKAWA, N., DURCAN, M.J. & CAMPBELL, I.C. An examination of experimental design in relation to receptor binding assays

699 MacKENZIE, I., KIRKPATRICK, K.A. & BURNSTOCK, G. Comparative study of the actions of AP_5A and α,β-methylene ATP on nonadrenergic, noncholinergic neurogenic excitation in the guinea-pig vas deferens

707 EKSTRÖM, J., HÅKANSON, R., MÅNSSON, B. & TOBIN, G. Tachykinin involvement in parasympathetic nerve-evoked salivation of the ferret

713 ISHAC, E.J.N. & DE LUCA, A. The influence of activation or inhibition of protein kinase C on the release of radioactivity from rat isolated atria labelled with [^{3}H]-noradrenaline

721 KARWATOWSKA-PROKOPCZUK, E., CIABATTONI, G. & WENNMALM, Å. Effect of adenosine on the formation of prostacyclin in the rabbit isolated heart

729 McCAIG, D.J. & RODGER, I.W. Effects of leukotriene D_4 on the mechanical and electrical properties of guinea-pig isolated trachealis

737 GUILD, S., FREY, E.A., POCOTTE, S.L. & KEBABIAN, J.W. Adenosine 3′,5′-cyclic monophosphate-mediated enhancement of calcium-evoked prolactin release from electrically permeabilised 7315c tumour cells

745 KEERY, R.J. & LUMLEY, P. AH6809, a prostaglandin DP-receptor blocking drug on human platelets

755 TUTTLE, R.S., YAGER, J. & NORTHRUP, N. Age and the antihypertensive effect of aspirin in rats

759 BROOKS, D.P., KOSTER, P.F., STASSEN, F.L., ALBRIGHTSON, C.R., HUFFMAN, W.F., WASSERMAN, M.A. & KINTER, L.B. Flushing and haemodynamic responses to vasopressin peptides in the rhesus monkey

765 HAWGOOD, B.J., SMITH, I.C.H. & STRONG, P.N. Early induction by crotoxin of biphasic frequency changes and giant m.e.p.ps in frog muscle

773 BARR, R.M., KORO, O., FRANCIS, D.M., BLACK, A.K., NUMATA, T. & GREAVES, M.W. The release of prostaglandin D_2 from human skin *in vivo* and *in vitro* during immediate allergic reactions

781 SZABO, B., HEDLER, L., SCHURR, C. & STARKE, K. Peripheral sympatho-inhibitory cardiovascular effects of opioid peptides in anaesthetized rabbits

789 AHN, H.Y. & KARAKI, H. Inhibitory effects of procaine on contraction and calcium movement in vascular and intestinal smooth muscles

797 TREHERNE, J.M. & YOUNG, J.M. [$^+$H]-(+)-N-methyl-4-methyldiphenhydramine, a quaternary radioligand for the histamine H_1-receptor

811 TREHERNE, J.M. & YOUNG, J.M. Temperature-dependence of the kinetics of the binding of [^{3}H]-(+)-N-methyl-4-methyldiphenhydramine to the histamine H_1-receptor: comparison with the kinetics of [^{3}H]-mepyramine

823 ALLEN, J.M., McCARRON, J.G., McHALE, N.G. & THORNBURY, K.D. Release of [^{3}H]-noradrenaline from the sympathetic nerves to bovine mesenteric lymphatic vessels and its modification by α-agonists and antagonists

834 HEY, J.A., ITO, T. & KOSS, M.C. α-Methyldopa produces mydriasis in the rat by stimulation of CNS α_2-adrenoceptors

839 ROWAN, E.G. & HARVEY, A.L. Potassium channel blocking actions of β-bungarotoxin and related toxins on mouse and frog motor nerve terminals

848 DONNERER, J., YAN, Z. & LEMBECK, F. Effects of clonidine and yohimbine on a C-fibre-evoked blood pressure reflex in the rat

853 TAYLOR, S.G., SOUTHERTON, J.S., WESTON, A.H. & BAKER, J.R.J. Endothelium-dependent effects of acetylcholine in rat aorta: a comparison with sodium nitroprusside and cromakalim

864 WAHLSTRÖM, A., PACIFICI, G.M., LINDSTRÖM, B., HAMMAR, L. & RANE, A. Human liver morphine UDP-glucuronyl transferase enantioselectivity and inhibition by opioid congeners and oxazepam

871 ERECIŃSKA, M., NELSON, D. & SILVER, I.A. Interactions of benztropine, atropine and ketamine with veratridine-activated sodium channels: effects on membrane depolarization, K^+-efflux and neutrotransmitter amino acid release

882 HISHINUMA, S. & UCHIDA, M.K. Short-term desensitization of guinea-pig taenia caecum induced by carbachol occurs at intracellular Ca stores and that by histamine at H_1-receptors

890 BOGNAR, I.T., PALLAS, S., FUDER, H. & MUSCHOLL, E. Muscarinic inhibition of [^{3}H]-noradrenaline release on rabbit iris *in vitro*: effects of stimulation conditions on intrinsic activity of methacholine and pilocarpine

901 OTTOSSON, A., JANSEN, I. & EDVINSSON, L. Characterization of histamine receptors in isolated human cerebral arteries

908 VAN OOSTERHOUT, A.J.M., WOUTERSEN-VAN NIJNANTEN, F.M.A., FOLKERTS, G. & NIJKAMP, F.P. Effects of anterior hypothalamic lesions and sham-operations on bacterial endotoxin-induced non-specific airway hyperreactivity *in vivo* and *in vitro*

917 OHUCHI, K., SUGAWARA, T., WATANABE, M., HIRASAWA, N., TSURUFUJI, S., FUJIKI, H., CHRISTENSEN, S.B. & SUGIMURA, T. Analysis of the stimulative effect of thapsigargin, a non-TPA-type tumour promoter, on arachidonic acid metabolism in rat peritoneal macrophages

924 STAMFORD, J.A., KRUK, Z.L. & MILLAR, J. Actions of dopamine antagonists on stimulated striatal and limbic dopamine release: an *in vivo* voltammetric study

993 McDOWELL, J. & KITCHEN, I. Perinatal lead exposure alters the development of δ- but not μ-opioid receptors in rat brain

938 HOLROYDE, M.C. & NORRIS, A.A. The effect of ozone on reactivity of upper and lower airways in guinea-pigs

947 BARLOW, R.B., SHEPHERD, M.K., TYDEMAN, H. & VEALE, M.A. The affinity of some acetylenic analogues of 4-DAMP methobromide for muscarinic receptors in guinea-pig ileum and atria

952 PERNOW, J., KAHAN, T. & LUNDBERG, J.M. Neuropeptide Y and reserpine-resistant vasoconstriction evoked by sympathetic nerve stimulation in the dog skeletal muscle

961 DALZIEL, H.H. & SNEDDON, P. The mechanism of action of AMP-induced inhibition of sympathetic neurotransmission in the isolated vas deferens of the rat and guinea-pig

968 HARBORNE, A.J. & SMITH, M.E. Effect of soluble factors from nerve and muscle on α-bungarotoxin binding sites in isolated sarcolemmal membranes of the rat

977 RANDALL, M.D. & HILEY, C.R. Effect of phenobarbitone pretreatment upon endothelium-dependent relaxation to acetylcholine in rat superior mesenteric arterial bed

VOLUME 94 NUMBER 4 AUGUST 1988

987 **ELEVENTH GADDUM MEMORIAL LECTURE**

FLOWER, R.J. Lipocortin and the mechanism of action of the glucocorticoids

SHORT COMMUNICATIONS

1017 DE BELLEROCHE, J. & GARDINER, I.M. Inhibitory effect of 1,2,3,4-tetrahydro-9-aminoacridine on the depolarization-induced release of GABA from cerebral cortex

1020 HOGAN, J.C., LEWIS, M.J. & HENDERSON, A.H. *In vivo* EDRF activity influences platelet function

PAPERS

1023 SCARPIGNATO, C., GIOFFRÉ, M., GULINO, F.M. & MICALI, B. Different effects of bombesin on glucose- and tolbutamide-induced insulin release in man

1029 GRANTHAM, C.J. & BAKHLE, Y.S. Effect of acute lung injury on metabolism of adenine nucleotides in rat perfused lung

1037 KOSTRZEWSKA, A., LAUDÁNSKI, T. & BATRA, S. Effect of calcium and calmodulin antagonists on contractile responses of the human uterine artery

1043 CAMP, R.D.R., CUNNINGHAM, F.M., FINCHAM, N.J., GREAVES, M.W., KOBZA BLACK, A., MALLET, A.I. & WOOLLARD, P.M. Psoriatic skin lesions contain a novel lipid neutrophil chemokinetic compound which is distinct from known chemoattractant eicosanoids

1051 KUDO, Y., AKIYOSHI, E. & AKAGI, H. Identification of two taurine receptor subtypes on the primary afferent terminal of frog spinal cord

1057 CHAND, N., DIAMANTIS, W., MAHONEY, T.P. & SOFIA, R.D. Phospholipase A_2-induced airway hyperreactivity to cooling and acetylcholine in rat trachea: pharmacological modulation

1063 IKEGUCHI, S., HASHIMOTO, S., HORIE, M., KADOYA, M., KONISHI, T. & KAWAI, C. Electrophysiological effects of melperone on isolated rabbit heart muscles

1069 BOWSER-RILEY, F., DANIELS, S. & SMITH, E.B. Investigations into the origin of the high pressure neurological syndrome: the interaction between pressure, strychnine and 1,2-propandiols in the mouse

1077 WINN, M.J., CHOLERTON, S. & PARK, B.K. An investigation of the pharmacological response to vitamin K_1 in the rabbit

1085 DALY, C.J., McGRATH, J.C. & WILSON, V.G. Evidence that the population of postjunctional-adrenoceptors mediating contraction of smooth muscle in the rabbit isolated ear vein is predominantly α_2

1091 SMALL, R.C., BOYLE, J.P., CORTIJO, J., CURTIS-PRIOR, P.B., DAVIES, J.M., FOSTER, R.W. & HOFER, P. The relaxant and spasmogenic effects of some xanthine derivatives acting on guinea-pig isolated trachealis muscle

1101 CONNELL, L.A. & WALLIS, D.I. Responses to 5-hydroxytryptamine evoked in the hemisected spinal cord of the neonate rat

1115 ANDERSON, G. & FENNESSY, M. Effects of REV 5901, a 5-lipoxygenase inhibitor and leukotriene antagonist, on pulmonary responses to platelet activating factor in the guinea-pig

1123 HUMPHREY, P.P.A., FENIUK, W., PERREN, M.J., CONNOR, H.E., OXFORD, A.W., COATES, I.H. & BUTINA, D. GR43175, a selective agonist for the 5-HT_1-like receptor in dog isolated saphenous vein

1133 CALIXTO, J.B., PIZZOLATTI, M.G. & YUNES, R.A. The competitive antagonistic effect of compounds from *Mandevilla velutina* on kinin-induced contractions of rat uterus and guinea-pig ileum *in vitro*

1143 RAMPART, M. & WILLIAMS, T.J. Evidence that neutrophil accumulation induced by interleukin-1 requires both local protein biosynthesis and neutrophil CD18 antigen expression *in vivo*

1149 CORDER, R. & WITHRINGTON, P.G. The actions of neuropeptide Y and peptide YY on the hepatic arterial and portal vascular beds of the anaesthetized dog

1157 BECK, K., CALAMAI, F., STADERINI, G. & SUSINI, T. Gastric motor responses elicited by vagal stimulation and purine compounds in the atropine-treated rabbit

1167 ITO, K., HAYASHI, K., NAKASHIMA, T. & MURAKAMI, T. Alteration of fate of vasoactive autacoids in pulmonary circulation following monocrotaline-induced lung vascular injury in rats

1175 ITO, K., NAKASHIMA, T., MURAKAMI, K. & MURAKAMI, T. Altered function of pulmonary endothelium following monocrotaline-induced lung vascular injury in rats

1184 ZHANG, M.-S. & ZHOU, E.-F. Methylflavonolamine hydrochloride inhibits contractions induced by noradrenaline, calcium and potassium in rabbit isolated aortic strips

1189 GILLESPIE, J.S. & SHENG, H. The lack of involvement of cyclic nucleotides in the smooth muscle relaxant action of BRL 34915

1198 FONTAINE, J. & LEBRUN, P. Pharmacological analysis of the effects of Bay K 8644 and organic calcium antagonists on the mouse isolated distal colon

1207 NORTHOVER, A.M. & NORTHOVER, B.J. Protection of rat atrial myocardium against electrical, mechanical and structural aspects of injury caused by exposure *in vitro* to conditions of simulated ischaemia

1218 PETTY, M.A. & MIR, A.K. Comparison of the cardiovascular effects of *trans*-diclofurime with different types of calcium antagonists in conscious spontaneously hypertensive rats

1225 STEWART, A.G. & DUSTING, G.J. Characterization of receptors for platelet-activating factor on platelets, polymorphonuclear leukocytes and macrophages

1234 HORTON, R.W., LOWTHER, S., CHIVERS, J., JENNER, P., MARSDEN, C.D. & TESTA, B. The interaction of substituted benzamides with brain benzodiazepine binding sites *in vitro*

1241 MURAMATSU, I. & YANAIHARA, N. Contribution of galanin to non-cholinergic, non-adrenergic transmission in rat ileum

1250 KINUGAWA, T., KOTAKE, H. & MASHIBA, H. Inhibitory actions of amoxapine, a tricyclic antidepressant agent, on electrophysiological properties of mammalian isolated cardiac preparations

1257 PETERS, J.A., KIRKNESS, E.F., CALLACHAN, H., LAMBERT, J.J. & TURNER, A.J. Modulation of the $GABA_A$-receptor by depressant barbiturates and pregnane steroids

1270 KILBINGER, H. & STEIN, A. Dicyclomine discriminates between M_1- and M_2-muscarinic receptors in the guinea-pig ileum

1275 CURTIS, M.J. & WALKER, M.J.A. The mechanism of action of calcium antagonists on arrhythmias in early myocardial ischaemia: studies with nifedipine and DHM9

VOLUME 95 NUMBER 1 SEPTEMBER 1988

SHORT COMMUNICATIONS

3 HOLDEN-DYE, L. & WALKER, R.J. ZAPA, (Z)-3-[(aminoiminomethyl)thio]-2-propenoic acid hydrochloride, a potent agonist at GABA-receptors on the *Ascaris* muscle cell

6 NEWBERRY, N.R. & PRIESTLEY, T. A 5-HT_1-like receptor mediates a pertussis toxin-sensitive inhibition of rat ventromedial hypothalamic neurones *in vitro*

PAPERS

9 CÁRDENAS, A.M., MONTIEL, C., ARTALEJO, A.R., SÁNCHEZ-GARCÍA, P. & GARCÍA, A.G. Sodium-dependent inhibition by PN200-110 enantiomers of nicotinic adrenal catecholamine release

15 CHAKI, K., KAWAMURA, S., KISARA, K., SAKURADA, S., SAKURADA, T., SASAKI, Y., SATO, T. & SUSUKI, K. Antinociception and physical dependence produced by [D-Arg^2]dermorphin tetrapeptide analogues and morphine in rats

23 DOWNING, S.J. & HOLLINGSWORTH, M. Nifedipine kinetics in the rat and relationship between its serum concentrations and uterine and cardiovascular effects

33 ONG, J., KERR, D.I.B. & JOHNSTON, G.A.R. Alfaxalone potentiates and mimics GABA-induced contractile responses in the guinea-pig isolated ileum

39 KITAZAWA, T., KONDO, H. & TEMMA, K. Presence of a substance P-like peptide in an acid extract of the intestinal bulb of the carp (*Cyprinus carpio*)

49 WEBBER, S.E. The effects of peptide histidine isoleucine and neuropeptide Y on mucus volume output from the ferret trachea

55 LEMOINE, H., SCHÖNELL, H. & KAUMANN, A.J. Contribution of β_1- and β_2-adrenoceptors of human atrium and ventricle to the effects of noradrenaline and adrenaline as assessed with (−)-atenolol

67 COCKS, T.M., LITTLE, P.J., ANGUS, J.A. & CRAGOE, E.J., Jr. Amiloride analogues cause endothelium-dependent relaxation in the canine coronary artery *in vitro*: possible role of Na^+/Ca^{2+} exchange

77 RIVERA-CALIMLIM, L., HARTLEY, D. & OSTERHOUT, D. Effects of ethanol and pantothenic acid on brain acetylcholine synthesis

83 STURGESS, N.C., KOZLOWSKI, R.Z., CARRINGTON, C.A., HALES, C.N. & ASHFORD, M.L.J. Effects of sulphonylureas and diazoxide on insulin secretion and nucleotide-sensitive channels in an insulin-secreting cell line

95 REYNOLDS, I.J. & MILLER, R.J. Tricyclic antidepressants block N-methyl-D-aspartate receptors: similarities to the action of zinc

103 VIDEBÆK, L.M., AALKJÆR, C. & MULVANY, M.J. Pinacidil opens K^+-selective channels causing hyperpolarization and relaxation of noradrenaline contractions in rat mesenteric resistance vessels

109 DE DEYN, P.P. & MacDONALD, R.L. Effects of non-sedative anxiolytic drugs on responses to GABA and on diazepam-induced enhancement of these responses on mouse neurones in cell culture

121 LOWMAN, M.A., BENYON, R.C. & CHURCH, M.K. Characterization of neuropeptide-induced histamine release from human dispersed skin mast cells

131 GODFREY, P.P., WILKINS, C.J., TYLER, W. & WATSON, S.P. Stimulatory and inhibitory actions of excitatory amino acids on inositol phospholipid metabolism in rat cerebral cortex

139 LEPOR, H., BAUMANN, M. & SHAPIRO, E. The stereospecificity of LY253352 for α_1-adrenoceptor binding sites in the brain and prostate

145 MARRIOTT, J.F. A comparison of the effects of the calcium entry blockers, verapamil, diltiazem and flunarizine against contractions of the rat isolated aorta and portal vein

155 BOUGHTON-SMITH, N.K. & WHITTLE, B.J.R. Failure of the inhibition of rat gastric mucosal 5-lipoxygenase by novel acetohydroxamic acids to prevent ethanol-induced damage

163 OKAMOTO, T., KURAHASHI, K., FUJIWARA, M. & OIKAWA, H. $GABA_A$-receptor-mediated inhibition of the delayed increase in intragastric pressure to stimulation of vagal afferent fibres in cats

169 PETTIPHER, E.R., HENDERSON, B., MONCADA, S. & HIGGS, G.A. Leucocyte infiltration and cartilage proteoglycan loss in immune arthritis in the rabbit

177 CHIBA, S. & TSUKADA, M. Possible mechanism of acetaldehyde-induced noradrenaline release from sympathetic nerve terminals in isolated blood vessels.

183 KARAKI, H., NAGASE, H., OHIZUMI, Y., SATAKE, N. & SHIBATA, S. Palytoxin-induced contraction and release of endogenous noradrenaline in rat tail artery

189 LÜCKHOFF, A., POHL, U., MÜLSCH, A. & BUSSE, R. Differential role of extra- and intracellular calcium in the release of EDRF and prostacyclin from cultured endothelial cells

197 GARDINER, S.M., COMPTON, A.M. & BENNETT, T. Regional haemodynamic effects of depressor neuropeptides in conscious, unrestrained, Long Evans and Brattleboro rats

209 POCOCK, G. & RICHARDS, C.D. The action of volatile anaesthetics on stimulus-secretion coupling in bovine adrenal chromaffin cells

218 SOARES-DA-SILVA, P. Evidence for dopaminergic co-transmission in dog mesenteric arterial vessels

225 MOLENAAR, P., MALTA, E., JONES, C.R., BUXTON, B.F. & SUMMERS, R.J. Autoradiographic localization and function of β-adrenoceptors on the human internal mammary artery and saphenous vein

234 LEFF, P. & DOUGALL, I.G. Estimation of opioid receptor agonist dissociation constants with β-chlornaltrexamine, an irreversible ligand which also displays agonism

241 ASANO, M., MASUZAWA, K. & MATSUDA, T. Role of stimulatory GTP-binding protein (Gs) in reduced β-adrenoceptor coupling in the femoral artery of spontaneously hypertensive rats

252 MOREL, N. & GODFRAIND, T. Selective modulation by membrane potential of the interaction of some calcium entry blockers with calcium channels in rat mesenteric artery

259 BEDING-BARNEKOW, B., BRODIN, E. & HÅKANSON, R. Substance P, neurokinin A and neurokinin B in the ocular response to injury in the rabbit

268 ITO, Y. Pre- and post-junctional actions of procaterol, a β_2-adrenoceptor stimulant, on dog tracheal tissue

275 CLARK, S.J., FOLLENFANT, R.L. & SMITH, T.W. Evaluation of opioid-induced antinociceptive effects in anaesthetized and conscious animals

284 KANMURA, Y., MISSIAEN, L. & CASTEELS, R. Properties of intracellular calcium stores in pregnant rat myometrium

291 BLAKE, J.F., BROWN, M.W. & COLLINGRIDGE, G.L. A quantitative study of the actions of excitatory amino acids and antagonists in rat hippocampal slices

300 BRAUNSTEIN, G., LABAT, C., BRUNELLESCHI, S., BENVENISTE, J., MARSAC, J. & BRINK, C. Evidence that the histamine sensitivity and responsiveness of guinea-pig isolated trachea are modulated by epithelial prostaglandin E_2 production

309 JONES, T.R., CHARETTE, L. & DENIS, D. Antigen-induced contraction of guinea-pig isolated trachea: studies with novel inhibitors and antagonists of arachidonic acid metabolites

VOLUME 95 NUMBER 2 OCTOBER 1988

SHORT COMMUNICATIONS

325 LIM, S.P. & BOLTON, T.B. A calcium-dependent rather than a G-protein mechanism is involved in the inward currrent evoked by muscarinic receptor stimulation in dialysed single smooth muscle cells of small intestine

PAPERS

329 OKAMOTO, T., KURAHASHI, K. & FUJIWARA, M. Effects of naloxone and opioid agonists on gastric excitatory responses to stimulation of the vagus nerve in cats

335 MOLLOY, A.G. & WADDINGTON, J.L. Behavioural responses to the selective D_1-dopamine receptor agonist R-SK&F 38393 and the selective D_2-agonist RU 24213 in young compared with aged rats

343 SILBERSTEIN, D.J., BOWMER, C.J. & YATES, M.S. Dibromosulphophthalein: its pharmacokinetics and binding to hepatic cytosol proteins in rats with acute renal failure

353 CHRISTENSEN, S. & PETERSEN, J.S. Effects of furosemide on renal haemodynamics and proximal tubular reabsorption in conscious rats

361 SASSEN, L.M.A., DEN BOER, M.O., RENSEN, R.J., SAXENA, P.R. & VERDOUW, P.D. Bisoprolol improves perfusion of ischaemic myocardium in anaesthetized pigs

371 FARMER, S.G., CANNING, B.J. & WILKINS, D.E. Adenosine receptor-mediated contraction and relaxation of guinea-pig isolated tracheal smooth muscle: effects of adenosine antagonists

379 STEWART, A.G. & PIPER, P.J. Vasodilator actions of acetylcholine, A23187 and bradykinin in the guinea-pig isolated perfused heart are independent of prostacyclin

385 LI, C., MAJEWSKI, H. & RAND, M.J. Facilitation of noradrenaline release from sympathatic nerves in rat anococcygeus muscle by activation of prejunctional β-adrenoceptors and angiotensin receptors

393 YANAGISAWA, T., HASHIMOTO, H. & TAIRA, N. The negative inotropic effect of nicorandil is independent of cyclic GMP changes: a comparison with pinacidil and cromakalim in canine atrial muscle

399 EBNER, F. & SIEGL, H. Diffusion characteristics dissociate ouabain binding from inotropic effect in guinea-pig myocardium

405 AL-DAMLUJI, S., ROSS, G., TOUZEL, R., PERRETT, D., WHITE, A. & BESSER, G.M. Modulation of the actions of tyrosine by α_2-adrenoceptor blockade

413 BELVISI, M.G., CHUNG, K.F., JACKSON, D.M. & BARNES, P.J. Opioid modulation of non-cholinergic neural bronchoconstriction in guinea-pig *in vivo*

419 ANDRIANTSITOHAINA, R. & STOCLET, J.C. Potentiation by neuropeptide Y of vasoconstriction in rat resistance arteries

429 BREGESTOVSKI, P., BAKHRAMOV, A., DANILOV, S., MOLDOBAEVA, A. & TAKEDA, K. Histamine-induced inward currents in cultured endothelial cells from human umbilical vein

437 ROBERTS, M.H.T., DAVIES, M., GIRDLESTONE, D. & FOSTER, G.A. Effects of 5-hydroxytryptamine agonists and antagonists on the responses of rat spinal motoneurones to raphe obscurus stimulation

449 FEUERSTEIN, T.J., HEDLER, L., JACKISCH, R. & HERTTING, G. An *in vitro* model of 1-methyl-4-phenyl-pyridinium (MPP+) toxicity: incubation of rabbit caudate nucleus slices with MPP+ followed by biochemical and functional analysis

459 HISAYAMA, T., SHINKAI, M., TAKAYANAGI, I., MORIMOTO, S.I. & ISHIDA, K. Mechanism of action of nicotine in isolated iris sphincter preparations of rabbit

465 HISAYAMA, T., SHINKAI, M., TAKAYANAGI, I. & TOYODA, T. Mechanism of action of nicotine in isolated urinary bladder of guinea-pig

473 DALY, C.J., McGRATH, J.C. & WILSON, V.G. An examination of the postjunctional α-adrenoceptor subtypes for (−)-noradrenaline in several isolated blood vessels from the rabbit

485 DALY, C.J., McGRATH, J.C. & WILSON, V.G. Pharmacological analysis of postjunctional α-adrenoceptors mediating contractions to (−)-noradrenaline in the rabbit isolated lateral saphenous vein can be explained by interacting responses to simultaneous activation of α_1- and α_2-adrenoceptors

501 DALY, C.J., DUNN, W.R., McGRATH, J.C. & WILSON, V.G. An attempt at selective protection from phenoxybenzamine of postjunctional α-adrenoceptor subtypes mediating contractions to noradrenaline in the rabbit isolated saphenous vein

512 AKBARALI, H.I., BIEGER, D. & TRIGGLE, C.R. Inhibition of field stimulation-evoked relaxations in rat oesophageal smooth muscle by the calcium antagonist PN 200-110

519 AKBARALI, H.I., BIEGER, D., OHIA, S.E. & TRIGGLE, C.R. Similarity of relaxations evoked by BRL 34915, pinacidil and field-stimulation in rat oesophageal tunica muscularis mucosae

526 TSUDA, Y., OYAMA, Y., CARPENTER, D.O. & AKAIKE, N. Effects of Ca^{2+} on the transient outward current of single isolated *Helix* central neurones

531 SCHOEFFTER, P., DION, R. & GODFRAIND, T. Modulatory role of the vascular endothelium in the contractility of human isolated internal mammary artery

544 LU, W., OKAMURA, T., BIAN, K., INATOMI, A. & TODA, N. Prostaglandins involved in contractions by angiotensin II and bradykinin of isolated dog sphincter pupillae

551 WEBBER, S.E., SALONEN, R.O. & WIDDICOMBE, J.G. H_1- and H_2-receptor characterization in the tracheal circulation of sheep

562 JACQUES, C.A.J., SPUR, B.W., CREA, A.E.G. & LEE, T.H. The contractile activities of lipoxin A_4 and lipoxin B_4 for guinea-pig airway tissues

569 LEFF, P. & MARTIN, G.R. Differences in agonist dissociation constant estimates for 5-HT at 5-HT_2-receptors: a problem of acute desensitization?

578 SHAW, J.S., ROURKE, J.D. & BURNS, K.M. Differential sensitivity of antinociceptive tests to opioid agonists and partial agonists

585 FLETCHER, E.J., MARTIN, D., ARAM, J.A., LODGE, D. & HONORÉ, T. Quinoxalinediones selectively block quisqualate and kainate receptors and synaptic events in rat neocortex and hippocampus and frog spinal cord *in vitro*

598 HEWSON, G., LEIGHTON, G.E., HILL, R.G. & HUGHES, J. Quipazine reduces food intake in the rat by activation of 5-HT_2-receptors

605 JULOU-SCHAEFFER, G. & FRESLON, J.L. Effects of ryanodine on tension development in rat aorta and mesenteric resistance vessels

614 BORCHGREVINK, P.C. & RYAN, M.P. Effects of magnesium, ouabain and bumetanide on ^{86}rubidium uptake in a human atrial cell line

619 ALOSACHIE, I. GODFRAIND, T. The modulatory role of vascular endothelium in the interaction of agonists and antagonists with α-adrenoceptors in the rat aorta

630 CHRISTIE, M.I. & LEWIS, M.J. Vascular smooth muscle sensitivity to endothelium-derived relaxing factor is different in different arteries

637 RALEVIC, V. & BURNSTOCK, G. Actions mediated by P_2-purinoceptor subtypes in the isolated perfused mesenteric bed of the rat

646 RANDALL, M.D., KAY, A.P. & HILEY, C.R. Endothelium-dependent modulation of the pressor activity of arginine vasopressin in the isolated superior mesenteric arterial bed of the rat

653 HOYLE, C.H.V., VLADIMIROVA, I.A. & BURNSTOCK, G. Pre- and postjunctional actions of purine and xanthine compounds in the guinea-pig caecum circular muscle

664 CORDER, R. & WITHRINGTON, P.G. A comparison of the differential effects of vasoactive intestinal peptide and peptide histidine isoleucine on the vascular and capsular smooth muscle of the dog sleen

VOLUME 95 NUMBER 3 NOVEMBER 1988

SHORT COMMUNICATION

673 ÖHLÉN, A., WIKLUND, N.P., PERSSON M. G. & HEDQVIST P. Calcitonin gene-related peptide desensitizes skeletal muscle arterioles to substance P *in vivo*

PAPERS

675 THIJSSEN, H.H.W., BAARS, L.G.M. & VERVOORT-PETERS, H.T.M. Vitamin K 2,3-epoxide reductase: the basis for stereoselectivity of 4-hydroxycoumarin anticoagulant activity

683 DUVAL, N., LEE, C.R., EON, M.T., PETRUZZO, P. & LANGER S.Z. The β_1-adrenoceptor antagonist, betaxolol, is not released from the heart of the anaesthetized dog during sympathetic nerve stimulation

689 WELFORD, L.A. & ANDERSON, W.H. Purine receptors and guinea-pig trachea: evidence for a direct action of ATP

695 BULLOCH, J.M. & McGRATH, J.C. Selective blockade by nifedipine of 'purinergic' rather than adrenergic nerve-mediated vasopressor responses in the pithed rat

701 PHILLIPS, J.A. & HOULT, J.R.S. Secretory effects of kinins on colonic epithelium in relation to prostaglandins released from cells of the lamina propria

713 MURPHY, V.F. & WANN, K.T. The action of GABA receptor agonists and antagonists on muscle membrane conductance in *Schistocerca gregaria*

723 BOND, R.A. & CLARKE, D.E. Agonist and antagonist characterization of a putative adrenoceptor with distinct pharmacological properties from the α- and β-subtypes

735 AOKI, N., BITTERMAN, H., BREZINSKI, M.E. & LEFER, A.M. Cardioprotective actions of human superoxide dismutase in two reperfusion models of myocardial ischaemia in the rat

741 COOK, N.S., WEIR, S.W. & DANZEISEN, M.C. Antivasoconstrictor effects of the K^+ channel opener cromakalim on the rabbit aorta—comparison with the calcium antagonist isradipine

753 FFRENCH-MULLEN, J.M.H., TOKUTOMI, N. & AKAIKE, N. The effect of temperature on the GABA-induced chloride current in isolated sensory neurones of the frog

763 ARCH, J.R.S., BUCKLE, D.R., BUMSTEAD, J., CLARKE, G.D., TAYLOR, J.F. & TAYLOR, S.G. Evaluation of the potassium channel activator cromakalim (BRL 34915) as a bronchodilator in the guinea-pig: comparison with nifedipine

771 PATMORE, L. & DUNCAN, G.P. Effects of calcium channel antagonists and facilitators on beating of primary cultures of embryonic chick heart cells

777 EVANS, R.G., RICE, G.E. & OLLEY, J. Studies of the effects of sub-acute treatment with N-(cyclopropylmethyl)-19-isopentylnororvinol (M320) on timing of parturition in the rat

783 DE NUCCI, G., WARNER, T. & VANE, J.R. Effect of captopril on the bradykinin-induced release of prostacyclin from guinea-pig lungs and bovine aortic endothelial cells

789 IQBAL, A. & VANHOUTTE, P.M. Flunarizine inhibits endothelium-dependent hypoxic facilitation in canine coronary arteries through an action on vascular smooth muscle

795 NAKAO, K., OKABE, K., KITAMURA, K., KURIYAMA, H. & WESTON, A.H. Characteristics of cromakalim-induced relaxations in the smooth muscle cells of guinea-pig mesenteric artery and vein

805 WILLIAMS, T.L., SMITH, D.A.S., BURTON, N.R. & STONE, T.W. Amino acid pharmacology in neocortical slices: evidence for bimolecular actions from an extension of the Hill and Gaddum-Schild equations

811 BOSE, D., HRYSHKO, L.V., KING, B.W. & CHAU, T. Control of interval-force relation in canine ventricular myocardium studied with ryanodine

821 ITOH, H., MURAMATSU, I., PATEL, P., LEDERIS, K. & HOLLENBERG, M.D. Inhibition by anti-inflammatory agents of contraction induced by epidermal growth factor-urogastrone in isolated longitudinal smooth muscle strips from guinea-pig stomach

830 AMEZCUA, J.L., DUSTING, G.J., PALMER, R.M.J. & MONCADA, S. Acetylcholine induces vasodilatation in the rabbit isolated heart through the release of nitric oxide, the endogenous nitrovasodilator

835 BHARDWAJ, R. & MOORE, P.K. Endothelium-derived relaxing factor and the effects of acetylcholine and histamine on resistance blood vessels

844 KOMORI, S., MATSUO, K. & OHASHI, H. Development before and after hatching of non-cholinergic excitatory innervation to the rectum via Remak's nerve in the fowl

851 LENZEN, S., BRAND, F.-H. & PANTEN, U. Structural requirements of alloxan and ninhydrin for glucokinase inhibition and of glucose for protection against inhibition

860 BAGETTA, G., DE SARRO, G., PRIOLO, E. & NISTICÒ, G. Ventral tegmental area: site through which dopamine D_2-receptor agonists evoke behavioural and electrocortical sleep in rats

867 OHIZUMI, Y., KOBAYASHI, M., MUROYAMA, A., NAKAMURA, H. & KOBAYASHI, J. The mechanism of the inotropic action of striatoxin, a novel polypeptide toxin from a marine snail, in isolated cardiac muscle

876 SEINO, A., KOBAYASHI, M., MOMOSE, K., YASUMOTO T. & OHIZUMI, Y. The mode of inotropic action of ciguatoxin on guinea-pig cardiac muscle

883 IKEMOTO, Y., AKAIKE, N. & KIJIMA, H. Kinetic and pharmacological properties of the GABA-induced chloride current in *Aplysia* neurones: a 'concentration clamp' study

896 CHRISTIE, M.J. & NORTH, R.A. Agonists at μ-opioid, M_2-muscarinic and $GABA_B$-receptors increase the same potassium conductance in rat lateral parabrachial neurones

903 CARTHEUSER, C.F. Slow channel inhibitor effects on brain function: tolerance to severe hypoxia in the rat

914 KATYARE, S.S. & RAJAN, R.R. Enhanced oxidative phosphorylation in rat liver mitochondria following prolonged *in vivo* treatment with imipramine

923 RACKÉ, K., SCHWÖRER, H. & KILBINGER, H. Adrenergic modulation of the release of 5-hydroxytryptamine from the vascularly perfused ileum of the guinea-pig

932 MURPHY, D.E., HUTCHISON, A.J., HURT, S.D., WILLIAMS, M. & SILLS, M.A. Characterization of the binding of [^{3}H]-CGS 19755: a novel N-methyl-D-aspartate antagonist with nanomolar affinity in rat brain

939 COLLINS, G.G.S. Effects of the anaesthetic 2,6-diisopropylphenol on synaptic transmission in the rat olfactory cortex slice

950 EVANS, S.M. & COLLARD, K.J. The mechanism by which monoamine oxidase inhibitors give rise to a non-calcium-dependent component in the depolarization-induced release of 5-HT from rat brain synaptosomes

957 LODGE, D., DAVIES, S.N., JONES, M.G., MILLAR, J., MANALLACK, D.T., ORNSTEIN, P.L., VERBERNE, A.J.M., YOUNG, N. & BEART, P.M. A comparison between the *in vivo* and *in vitro* activity of five potent and competitive NMDA antagonists

966 BACON, K.B., CAMP, R.D.R., CUNNINGHAM, F.M. & WOOLLARD, P.M. Contrasting *in vitro* lymphocyte chemotactic activity of the hydroxyl enantiomers of 12-hydroxy-5,8,10,14-eicosatetraenoic acid

975 SCHOEFFTER, P. & HOYER, D. Centrally acting hypotensive agents with affinity for 5-HT_{1A} binding sites inhibit forskolin-stimulated adenylate cyclase activity in calf hippocampus

986 THOMAS, G.R., THIEMERMANN, C., WALDER, C. & VANE, J.R. The effects of endothelium-dependent vasodilators on cardiac output and their distribution in the anaesthetized rat: a comparison with sodium nitroprusside

993 COSTA, M. & MAJEWSKI, H. Facilitation of noradrenaline release from sympathetic nerves through activation of ACTH receptors, β-adrenoceptors and angiotensin II receptors

VOLUME 95 NUMBER 4 DECEMBER 1988

SHORT COMMUNICATIONS

1005 BRAIN, S.D., TIPPINS, J.R. & WILLIAMS, T.J. Endothelin induces potent microvascular constriction

1008 DRAY, A., BETTANEY, J., FORSTER, P. & PERKINS, M.N. Activation of a bradykinin receptor in peripheral nerve and spinal cord in the neonatal rat *in vitro*

1011 WHITTLE, B.J.R. & ESPLUGUES, J.V. Induction of rat gastric damage by the endothelium-derived peptide, endothelin

PAPERS

1015 MORITOKI, H., TANIOKA, A., MAESHIBA, Y., IWAMOTO, T., ISHIDA, Y. & ARAKI, H. Age-associated decrease in histamine-induced vasodilatation may be due to reduction of cyclic GMP formation

1023 GAIRIN, J.E., MAZARGUIL, H., ALVINERIE, P., BOTANCH, C., CROS, J. & MEUNIER, J.-C. N,N-dially-tyrosyl substitution confers antagonist properties on the κ-selective opioid peptide [D-Pro^{10}]dynorphin A(1–11)

1031 EGLEN, R.M., MONTGOMERY, W.W., DAINTY, I.A., DUBUQUE, L.K. & WHITING, R.L. The interaction of methoctramine and himbacine at atrial, smooth muscle and endothelial muscarinic receptors *in vitro*

1039 AMERINI, S., BERNABEI, R., CARBONIN, P., CERBAI, E., MUGELLI, A. & PAHOR, M. Electrophysiological mechanism for the antiarrhythmic action of propafenone: a comparison with mexiletine

1047 HIRST, B.H., HOLLAND, J., PARSONS, M.E. & PRICE, C.A. Fade and tachyphylaxis of gastric acid secretory response to pentagastrin in rat isolated gastric mucosa

1057 KRISHTAL, O.A., MARCHENKO, S.M., OBUKHOV, A.G. & VOLKOVA, T.M. Receptors for ATP in rat sensory neurones: the structure-function relationship for ligands

1063 ADAMANTIDIS, M.M., HONORÉ, E.R. & DUPUIS, B.A. Electrical and mechanical effects of new aminosteroids on guinea-pig isolated ventricular muscle

1075 HOF, R.P. & HOF, A. Vasoconstrictor and vasodilator effects in normal and atherosclerotic conscious rabbits

1081 RANDALL, M.D. & HILEY, C.R. Detergent and methylene blue affect endothelium-dependent vasorelaxation and pressure/flow relations in rat blood perfused mesenteric arterial bed

1089 SAKAI, T., TERADA, K., KITAMURA, K. & KURIYAMA, H. Ryanodine inhibits the Ca-dependent K current after depletion of Ca stored in smooth muscle cells of the rabbit ileal longi" 'inal muscle

1101 KAHAN, T., PERNOW, J., SCHWIELER, J., WALLIN, B.G., LUNDBERG, J.M. & HJEMDAHL, P. Noradrenaline release evoked by a physiological irregular sympathetic discharge pattern is modulated by prejunctional α- and β-adrenoceptors *in vivo*

1109 ROGERS, D.F., BELVISI, M.G., AURSUDKIJ, B., EVANS, T.W. & BARNES, P.J. Effects and interactions of sensory neuropeptides on airway microvascular leakage in guinea-pigs

1117 DUNWIDDIE, T.V., PROCTOR, W.R. & TYMA, J. Local anaesthetic actions of cocaine: effects on excitatory and inhibitory synaptic responses in the hippocampus *in vitro*

1125 DAMAROWSKY, M., LÜLLMANN, H. & RAVENS, U. The dihydropyridine derivative 202-791: interpretation of the effects of the racemate considering inverse agonistic enantiomers

1133 SLADECZEK, F., SCHMIDT, B.H., CORY, R.N., EL MOATASSIM, C., ALONSO, R., l'IRK, K.L., KIRK, C.J., ROUOT, B. & BOCKAERT, J. Complex interactions of agonists with α_1-adrenoceptors in intact cells

1141 SCHNEIDER, W., GROHS, J.G., KRUMPL, G., MAYER, N. & RABERGER, G. The effects of nitroglycerin on regional myocardial contractile dysfunction produced by treadmill exercise or isoprenaline stimulation in dogs

1151 GILLESPIE, J.S. & SHENG, H. Influence of haemoglobin and erythrocytes on the effects of EDRF, a smooth muscle inhibitory factor, and nitric oxide on vascular and non-vascular smooth muscle

1157 KOMORI, S. & OHASHI, H. Membrane potential responses to ATP applied by pressure ejection in the longitudinal muscle of chicken rectum

1165 CHEN, G., SUZUKI, H. & WESTON, A.H. Acetylcholine releases endothelium derived hyperpolarizing factor and EDRF from rat blood vessels

1175 KOTAKE, H., NAWADA, T., MATSUMOTO, T., KITAMURA, H., KANEDA, T., HASEGAWA, J. & MASHIBA, H. Chronotropic effect of nizofenone fumarate in rabbit sino-atrial node *in vitro*

1181 CARTER, T.D., HALLAM, T.J., CUSACK, N.J. & PEARSON, J.D. Regulation of P_{2y}-purinoceptor-mediated prostacyclin release from human endothelial cells by cytoplasmic calcium concentration

1191 SHIMOKAWA, H., AARHUS, L.L. & VANHOUTTE, P.M. Dietary ω3 polyunsaturated fatty acids augment endothelium-dependent relaxation to bradykinin in coronary microvessels of the pig

1197 SHIMOKAWA, H., FLAVAHAN, N.A., LORENZ, R.R. & VANHOUTTE, P.M. Prostacyclin releases endothelium-derived relaxing factor and potentiates its action in coronary arteries of the pig

1204 HALL, I.P. & HILL, S.J. β_2-Adrenoceptor stimulation inhibits histamine-stimulated inositol phospholipid hydrolysis in bovine tracheal smooth muscle

1213 HILL, S.J. & STRAW, R.M. α_2-Adrenoceptor-mediated inhibition of histamine release from rat cerbral cortical slices

1220 GRANT, T.L. & McGRATH, J.C. Interactions between angiotensin II, sympathetic nerve-mediated pressor response and cyclo-oxygenase products in the pithed rat

1229 GRANT, T.L. & McGRATH, J.C. Interactions between angiotensin II and α-adrenoceptor agonists mediating pressor responses in the pithed rat

1241 UPRICHARD, A.G.C., HARRON, D.W.G., WILSON, R. & SHANKS, R. Effects of the myocardial-selective α_1-adrenoceptor antagonist UK-52046 and atenolol, alone and in combination, on experimental cardiac arrhythmias in dogs

1255 CHANG, C.C., CHEN, S.M. & HONG, S.J. Reversals of the neostigmine-induced tetanic fade and endplate potential run-down with respect to the autoregulation of transmitter release

1262 SALONEN, R.O., WEBBER, S.E. & WIDDICOMBE, J.G. Effects of neuropeptides and capsaicin on the canine tracheal vasculature *in vivo*

1271 LUZZI, S., ZILLETTI, L., FRANCHI-MICHELI, S., GORI, A.M. & MORONI, F. Agonists, antagonists and modulators of excitatory amino acid receptors in the guinea-pig myenteric plexus

1278 DE SARRO, G., BAGETTA, G., ASCIOTI, C., LIBRI, V. & NISTICO, G. Microinfusion of clonidine and yohimbine into locus coeruleus alters EEG power spectrum: effects of aging and reversal by phosphatidylserine

1287 KONDO, N. Comparison between effects of caffeine and ryanodine on electromechanical coupling in myocardium of hibernating chipmunk: role of internal Ca stores

1292 BRISTOW, L.J. & BENNETT, G.W. Biphasic effects of intra-accumbens histamine administration on spontaneous motor activity in the rat; a role for central histamine receptors

1303 NAKAHIRO, M., MOCHIZUKI, D., UCHIDA, S. & YOSHIDA, H. Effect of the 'antidementia drug' pantoyl-GABA on high affinity transport of choline and on the contents of choline and acetylcholine in rat brain

1308 BULT, H., FRET, H.R.L., VAN DEN BOSSCHE, R.M. & HERMAN, A.G. Platelet inhibition by endothelium-derived relaxing factor from the rabbit perfused aorta

1315 WONG, P.Y.D. Control of anion and fluid secretion by apical P_2-purinoceptors in the rat epididymis

1322 YAACOB, H.B. & PIPER, P.J. Inhibition of leukotriene release in anaphylactic guinea-pig hearts by a 5-lipoxygenase inhibitor, CGS 8515

1329 ANDERSON, A.J., HARVEY, A.L., ROWAN, E.G. & STRONG, P.N. Effects of charybdotoxin, a blocker of Ca^{2+}-activated K^+ channels, on motor nerve terminals